

Altes Theme auf KvFG net Wiki

Zentrale Dateien

Im Folgenden die zentralen Dateien des Designs zur Einsicht und möglichen Veränderung.
Veränderungsvorschläge im Code bitte kenntlich machen!

style.css

```
/* ===== GENERAL
===== */
* {
    font-family: Verdana, Helvetica, Arial, sans-serif;
    font-size: small;
}
body {
    background: #e0dfca;
    background-image: url(images/body_background___width__.png);
    background-position: center;
    background-repeat: repeat-y;
}

a {
    color: #436976;
    background-color: inherit;
}
a:hover {
    color: #000;
    background-color: inherit;
}
a img {
    border: none;
}
a.wikilink2 {
    color: #8c2121;
}

/* ===== HEADER
===== */
#header {
    background-image: url(images/header_background___width__.png);
    background-position: center;
    background-repeat: repeat-y;
}
#header a {
    color: #fff;
    background-color: inherit;
```

```
    text-decoration: none;
}
#header a:hover {
    color: #ccc;
    background-color: inherit;
}

/* ===== MENU
===== */
#menu {
    background-image: url(images/menu_background.png);
    background-repeat: repeat-x;
}
#menu ul {
    border-left: solid 1px #000;
    border-right: solid 1px #666;
}
#menu ul li {
    border-left: solid 1px #666;
    border-right: solid 1px #000;
}
#menu ul li a {
    color: #fff;
    background-color: inherit;
    text-decoration: none;
}
#menu ul li a:hover {
    color: #fff;
    background-color: #333;
}

/* ===== BODY
===== */
#body {
    background-color: #fff;
    color: #000;
}

.youarehere {
    padding: 2px 2px 2px 2px;
    font-weight: bold;
    border-right: solid 1px #acacbb;
    border-left: solid 3px #acacbb;
    border-bottom: solid 3px #acacbb;
    background-color: #D9D9D9;
    border-color: #8c2121;
}

acronym {
    cursor: help;
}
```

```
border-bottom-width: 1px;
border-bottom-style: dotted;
border-bottom-color: #000000;
}

#body h1 a, #body h2 a, #body h3 a, #body h4 a, #body h5 a {
  font-size: 1em;
  font-family: inherit;
  color: inherit;
  background-color: inherit;
}
#body h1 {
  font-family: Georgia, "Times New Roman", serif;
  font-weight: bold;
  font-size: 1.2em;
  color: #fff;
  background-color: transparent;
  background-image: url(images/h1_bg.png);
  background-repeat: repeat-y;
  background-position: right;
  border-bottom: solid 1px #dbdbc5;
}
#body h1 a {
  color: #fff;
  background-color: transparent;
}
#body h2 {
  font-family: Georgia, "Times New Roman", serif;
  font-weight: bold;
  font-size: 1.3em;
  color: #fff;
  background-color: transparent;
  background-image: url(images/h2_bg.png);
  background-repeat: repeat-y;
  background-position: right;
  border-bottom: solid 1px #dbdbc5;
}
#body h2 a {
  color: #fff;
  background-color: transparent;
}
#body h3 {
  font-family: Georgia, "Times New Roman", serif;
  font-weight: bold;
  font-size: 1em;
  color: #8c2121;
  background-color: inherit;
  border-bottom: solid 1px #dbdbc5;
}
#body h4, #body h5 {
  font-family: Georgia, "Times New Roman", serif;
```

```
    font-weight: bold;
    font-size: 1em;
    color: #8c2121;
    background-color: inherit;
}

ol {
    line-height: 1.5em;
    margin: 0 0 .5em 1.5em;
    padding: 0;
}

ul {
    line-height: 1.5em;
    list-style-type: square;
    margin: 0 0 .5em 1.5em;
    padding: 0;
    list-style-image: url(images/bullet.gif);
}

.code {
    border-top: solid 1px #acacbb;
    border-right: solid 1px #acacbb;
    border-bottom: solid 1px #acacbb;
    border-left: solid 3px #acacbb;
    background-color: #f7f9fa;
    color: inherit;
}

.code, .code * {
    font-size: 1em;
    font-family: "Courier New", Courier, monospace;
}

blockquote {
    border-left: solid 5px #8c2121;
    padding-left: 15px;
}

#body input {
    border: solid 1px #8cacbb;
}

#body input:hover {
    border: solid 1px #000;
}

/* ----- table of contents ----- */

div.toc {
    margin: 1.2em 0 0 2em;
    float: right;
    width: 200px;
    font-size: 80%;
```

```

    clear: both;
}

div #toc__header {
    font-weight: bold;
    border-top: solid 1px #acacbb;
    border-right: solid 1px #acacbb;
    border-left: solid 3px #acacbb;
    border-bottom: dashed 1px #acacbb;
    background-color: #f7f9fa;
    border-color: #8c2121;
}

div #toc__inside {
    border-right: solid 1px #acacbb;
    border-left: solid 3px #acacbb;
    border-bottom: solid 3px #acacbb;
    background-color: #f7f9fa;
    border-color: #8c2121;
}

/* ***** TABLES ***** */
#body table { border: solid 1px #999; }
#body table th { border: solid 1px #999; background-color: #eee; }
#body table td { border: solid 1px #ccc; background-color: #fff; }
#body table tr:hover { background-color: #ffffe5; }

/* insitu-footnotes */

div.insitu-footnote {
    font-size: 80%;
    line-height: 1.2em;
    border: 1px dashed;
    background-color: #f5ebeb;
    text-align: left;
    padding: 4px;
    max-width: 40%;    /* IEs width is handled in javascript */
}

/* overcome IE issue with one line code or file boxes which require h.
scrolling */

* html .insitu-footnote pre.code,
* html .insitu-footnote pre.file {
padding-bottom: 18px;
}

/* ===== FOOTER
===== */
#footer {

```

```
background-color: #dfdec9;
color: #000;
}
#footer li a {
border: solid 1px #8cacbb;
background-color: #efebe7;
color: #000;
text-decoration: none;
white-space: nowrap;
}
#footer li a:hover {
border: solid 1px #000;
background-color: #efebe7;
color: #000;
}
#footer input {
border: solid 1px #8cacbb;
}
#footer input:hover {
border: solid 1px #000;
}

.breadcrumbs {
/*padding: 4px 4px 4px 4px;*/
background-color: #ffffff;
}
```

layout.css

```
/* ===== GENERAL
===== */
html, body {
margin: 0;
padding: 0;
min-height: 100%;
}

/* ===== HEADER
===== */
#header {
text-align: center;
height: 150px;
}
#header h1 {
margin: 0;
}
#header #lang {
position: absolute;
top: 5px;
width: 100%;
```

```
}
#header #lang ul {
    margin: 0 auto 0 auto;
    padding: 0;
    width: 880px;
    text-align: left;
}
#header #lang ul li {
    display: inline;
    margin-right: 5px;
}

/* ===== MENU
===== */
#menu {
    background-color: #000;
    color: #fff;
    text-align: center;
    padding: 2px 0 2px 0;
}
#menu ul {
    margin: 0;
    padding: 0;
    display: inline;
}
#menu ul li {
    display: inline;
}
#menu ul li a {
    padding: 0 1em 0 1em;
}

/* ===== BODY
===== */
#body_top, #body_bottom {
    height: 1px;
    background-color: #fff;
    color: #000;
}
#body {
    width: __width__px;
    margin: 0 auto 0 auto;
    padding: 0 30px 0 30px;
}
#body h1, #body h2, #body h3, #body h4, #body h5 {
    clear: left;
    margin: .5em 0 0 0;
}
/* DOKUWIKI LEVELS */
#body h1 {
    margin-left: 0em;
```

```
padding: 5px;
}
div.level1 { margin: 1em 0 0 0; }
#body h2 {
margin-left: 1em;
padding: 2px 5px;
}
div.level2 { margin: 1em 0 0 2em; }
#body h3 { margin-left: 2em; }
div.level3 { margin: 1em 0 0 3em; }
#body h4 { margin-left: 3em; }
div.level4 { margin: 1em 0 0 4em; }
#body h5 { margin-left: 4em; }
div.level5 { margin: 1em 0 0 5em; }

.code {
padding: 5px;
overflow: auto;
}

/* ***** TABLES ***** */
#body table {
margin: 5px 0 5px 0;
border-collapse: collapse;
}
#body table th { padding: 2px 5px 2px 5px; }
#body table td { padding: 2px 5px 2px 5px; }
#body table td.rightalign { text-align: right; }
#body table td.centralalign { text-align: center; }
#body table td.leftalign { text-align: left; }

/* ===== FOOTER
===== */
#footer {
clear: both;
width: __footer__px;
margin: 1em auto 0 auto;
padding: 1em 10px 1em 10px;
}
#footer ul {
margin: 0 0 .5em 0;
padding: 0;
}
#footer ul li {
display: inline;
}
#footer li a {
padding: 2px 10px 2px 10px;
}
#footer form {
float: right;
```



```
}
#footer input {
    margin-left: 2px;
}
#footer p {
    margin: 0;
}
#qsearch__out {
    display: none !important;
}
.footerinc {
    text-align: center;
    padding-top: 15px;
}
.copyright {
    color: #8c2121;
    text-align: center;
}
```

main.php

```
<?php

if (!empty($INFO['userinfo'])) {

    $user = true;

}

/**

 * Theme pour Sandy

 * @author neolao <neo@neolao.com>

 * @link    http://resources.neolao.com/php/dokuwiki/templates

 * Reworked by: (C) BDJL http://www.bdj1.de

 */

?><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="<?php echo
$conf['lang']; ?>" lang="<?php echo $conf['lang']; ?>">

    <head>

        <meta http-equiv="Content-Type" content="text/html; charset=utf-8"

    />
```

```
<meta http-equiv="Content-Style-Type" content="text/css" />

<?php tpl_metaheaders(); ?>

<link rel="shortcut icon" type="image/x-icon" href="/favicon.ico"/>

<title><?php echo hsc($conf['title']).wl($ID); ?></title>

</head>

<body>

    <div id="header">
        <h1><?php tpl_link(wl(), '', 'name="dokuwiki__top" id="dokuwiki__top"
accesskey="h" title="[ALT+H]"')?></h1>
        <div id="lang">
            <ul>

            </ul>
        </div>
    </div>

    <div id="menu">

        <ul>

            <?php include('menu.php'); ?>

        </ul>

    </div>

    <div id="body">

        <div id="body_top"></div>

        <p class="youarehere"><?php tpl_youarehere(); ?></p>

        <?php flush(); ?>

        <?php tpl_content(); ?>

        <?php flush(); ?>

        <div id="body_bottom"><?php tpl_indexerWebBug()?></div>

    </div>

    <div id="footer">
```

```

<?php tpl_searchform(); ?>

<ul>

    <li><?php tpl_actionlink('edit'); ?></li>

    <li><?php tpl_actionlink('login'); ?></li>
    <li><?php tpl_button('history'); ?></li>

</ul>

<ul>

<?php if ($user) { ?>

    <li><?php tpl_actionlink('profile')?></li>

    <li><?php tpl_actionlink('admin'); ?>&nbsp;</li>
        <li><?php tpl_button('index')?></li>
        <li><?php tpl_button('top')?>&nbsp;</li>

<?php } ?>

</ul>
<div class="breadcrumbs">
    <?php tpl_breadcrumbs()?>
</div>
<?php /*old includehook*/
@include(dirname(__FILE__).'./footer.html')?>
    <div class="no"><?php /* provide DokuWiki housekeeping, required
in all templates */ tpl_indexerWebBug()?></div>
    <div class="copyright">Design by <a
href="http://www.bdj1.de">bdj1</a> | Based on <a
href="http://www.dokuwiki.org/template:sandy">sandy</a> | Blended with <a
href="http://www.dokuwiki.org/template:backpack">backpack</a></div>
    </div>
</body>

</html>

```

footer.html

```

<?php
/**
 * Example footer include
 *
 * This file shows you how to use the include hooks. However I recommend to

```

```

* create your own complete new template instead.
*/

$tgt = ($conf['target']['extern']) ?
'target="'. $conf['target']['extern']. "' : '' ;
?>

<div class="footerinc">
  <a <?php echo $tgt?> href="<?php echo DOKU_BASE; ?>feed.php" title="Recent
changes RSS feed"></a>

  <a <?php echo $tgt?>
href="http://creativecommons.org/licenses/by-nc-sa/2.0/" rel="license"
title="Creative Commons License"></a>

  <a <?php echo $tgt?> href="http://wiki.splitbrain.org/wiki:donate"
title="Donate"></a>

  <a <?php echo $tgt?> href="http://www.php.net" title="Powered by PHP"></a>

  <a <?php echo $tgt?> href="http://wiki.splitbrain.org/wiki:dokuwiki"
title="Driven by DokuWiki"></a>

<?php
/*
 * The following stuff in HTML comments declares a Creative Commons
 * License - remove this if you don't want this license for your Wiki
 */
?>

<!--

<rdf:RDF xmlns="http://web.resource.org/cc/"
  xmlns:dc="http://purl.org/dc/elements/1.1/"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
<Work rdf:about="">
  <dc:type rdf:resource="http://purl.org/dc/dcmitype/Text" />
  <license rdf:resource="http://creativecommons.org/licenses/by-nc-sa/2.0/"
/>
</Work>

<License rdf:about="http://creativecommons.org/licenses/by-nc-sa/2.0/">
  <permits rdf:resource="http://web.resource.org/cc/Reproduction" />

```

```
<permits rdf:resource="http://web.resource.org/cc/Distribution" />
<requires rdf:resource="http://web.resource.org/cc/Notice" />
<requires rdf:resource="http://web.resource.org/cc/Attribution" />
<prohibits rdf:resource="http://web.resource.org/cc/CommercialUse" />
<permits rdf:resource="http://web.resource.org/cc/DerivativeWorks" />
<requires rdf:resource="http://web.resource.org/cc/ShareAlike" />
</License>

</rdf:RDF>

-->

<?php
if ($conf['allowdebug']) {
    echo '<!-- page made in '.round(delta_time(DOKU_START_TIME), 3).'
seconds -->';
}
?>

</div>
```

menu.php

```
<li><?php tpl_link(wl("Impressum"), "Impressum"); ?></li><li><?php
tpl_link(wl("Benutzerordnung"), "Benutzerordnung"); ?></li><li><?php
tpl_link(wl("Lizenz"), "Lizenz"); ?></li><li><?php
tpl_link(wl("wiki:syntax"), "Wikisyntax"); ?></li>
```

From:

<https://www.kvfg.net/wiki/> - **KvFG Wiki**

Permanent link:

https://www.kvfg.net/wiki/doku.php?id=web:kvfgnetwiki_altestheme

Last update: **2009/10/25 12:50**

